The Advantages of Waterfall Displays for Contesting and DXing

> Presented by N6TV <u>n6tv@arrl.net</u>



## **Presentation Overview**

- Legacy "Panadapters"
- Waterfall scope in CW Skimmer
- Latest radios with waterfall displays
- Waterfall display advantages & disadvantages
- How to use waterfall displays while contesting or DXing
- Q & A






## **Legacy Panadapters**



# Kenwood SM-230 Station Monitor (25, 100, or 250 KHz):





http://www.universal-radio.com/

## **Legacy Panadapters**



 "Band Scopes" in Icom IC-781, IC-756ProIII, IC-7600, IC-7800, IC-7700 (before new









#### Spectrum Displays Hide Weak Signals

14000	14001	14002	14003	14004	14005	14006	14007	14008	14009	14010	14011	14012	140
-60													
-65													
-70													
-75													
-80													
-85													
-90													
-95 -100													
-105													
-110				[]									
-115				Ĥ	]   { [		_A						
-120							Λ	l					
-125						1							
	enter studies	AMARIA AND AND AND AND AND AND AND AND AND AN		Mingle"	W K	W WWW	Www	IN MULLINUM	A MAR AND A	MANNA N	Mahn Anta	u Mahalam	MAR. <sup>M</sup> U.






#### **CW Skimmer's Band Scope**



# From the CW Skimmer menu, select View → Band Scope




- Much better resolution, but display is very jumpy
- No "peak signal" memory
- Not useful on SSB

## **Legacy Panadapter Limitations**

- Big signals dominate the display
- Weak signals very difficult to spot
- Signal peaks disappear, no history
- Difficult to find "clear spots" on a crowded band
- Limited zoom in or out
- Display jumpy, distracting
  - Signal averaging helps, but it also hides things



## **CW Skimmer Waterfall Limitations**



- You only see 10 15 kHz of the band at most
- Scale is fixed, cannot "zoom" in or out, or tune smoothly
- Narrow 500 Hz CW filter not usable on phone CONTEST UNIVERSITY

## **Better Waterfall Displays**

The Elecraft P3 Panadapter



Major improvement over legacy designs





## Elecraft P3 + P3SVGA Option



- P3 resolution only 480 x 272 pixels
- P3SVGA: internal SVGA Large Screen


Adapter

- 1024 x 768
- 1280 x 1024
- 1440 x 900
- 1920 x 1080
- Displays far more signals






## P3 Built-in Display at 480 x 272



## P3SVGA at 1440 x 900



O

**ICOM**<sup>1</sup>2











http://www.icomamerica.com

## Icom IC-7800 with V3.0 firmware








http://www.icomamerica.com

## IC-7800 V3.0 Screen Shot

IC-7600, IC-7700 V2.0 Also Supports Waterfall

800 x 480 (with or without external monitor)



15



#### IC-7850 / 7851 – Huge Improvement



Fast, 800 x 600, MAIN only, or MAIN + SUB
"Click to tune" with USB mouse







#### New IC-7300 has fast waterfall too!

#### • With touch screen







## New IC-7610 with dual band waterfall







## Kenwood TS-990S









#### FlexRadio FLEX-5000™, FLEX-6700™












http://www.flexradio.com


#### FlexRadio Systems® SmartSDR







## **Winrad Software**








## **HDSDR Software**


HDSDR [default] version 2.63

**CONTEST** UNIVERSITY



ICOM<sup>2</sup>23

#### SDR-Radio.com SDRCconsole (V2) by HB9DRV






## **ICOM**<sup>2</sup>24


# Waterfall Bandmap by N2IC (new for N1MM+)

- Combines cluster
   spots from Internet or
   Skimmer with waterfall
   from local SDR
- Zoom Feature
- Click to tune feature
- Potential to support other logging programs





#### LP-Pan and NaP3






http://www.telepostinc.com

OICOM<sup>2</sup>26

## WebSDR: Waterfalls on the Web



http://websdr.ewi.utwente.nl:8901/








## Waterfall Display Advantages

- "Click to Tune" direct access using a mouse or tap
  - IC-7300, IC-7610, IC-7800 V3.0, IC-7851, Flex/SmartSDR, HDSDR, SDRConsole (but *not* Elecraft P3)
- Weak signals easy to spot (faint traces)
- Many zoom levels: 5, 10, 30, 60, ..., 800 KHz+
  - Watch the whole band at once, or a small slice
- Find clear frequencies fast
- Find who the DX just worked, fast
- Spot the gaps in a crowded CW pileup






Who will W1AW/0 answer next?





## E30FB CW Pileup on P3 display



Where will he listen next?





## **Advantage: Waterfall**



- Find "good spots to call" in a CW pileup
- Find clear spots to call CQ
- QRM? You can see where to move your VFO to minimize it
- During S&P, find the "next" signal fast (no more slow and careful tuning)
- Position VFO B or 2<sup>nd</sup> receiver without having to *listen* to it
  - S&P while CQing, "SO2V" (single-op, two VFOs)
- Monitor overall band activity
- Keep an eye on the local competition





## Waterfall Display Disadvantages



- Radios don't automatically tune from signal-to-signal like CW Skimmer (yet)
- Clicking on a signal with the mouse not as precise as tuning with VFO, must still fine tune
- Contest software loses focus when you click on waterfall
- Some find it visually distracting
- Cumbersome to adjust scope width and band edges
- But, if you're not using a waterfall display in a contest, you're really operating "blind"
- A waterfall display is really the "killer app"






#### **Recommendations While Contesting**

- Always enable the waterfall
- Use Fixed Mode (never "Center" mode)
  - You want the VFO cursor to move, not the scope
- Use narrow 5 20 kHz span for CQ, running
- Use wider 40 -100 kHz span for S&P, tuning
- Logging software can and should automate this:
  - In Win-Test, type SPAN20 [Enter] to set a 20 kHz scope span, limited to band edges
  - See <u>http://bit.ly/wtscripts</u> Win-Test Scripts
     P3scripts.zip, IcomScripts.zip, includes source code






#### Winrad on Top, Win-Test on Bottom








### Winrad & Win-Test (zoomed)



**COM** 35





Drawing by N6TV@arrl.net 31 May 2008





## Use Omnirig support in Winrad or HDSDR to sync freq. with any transceiver



S	how Options	Select Sound Ca	rd	Select San	ple Rate
	Select Input		۲.	Cor	trast
	Palette type		۲		
	Window type		×		
	Lock Volume				
	High Process Price	ority			
۲	Normal Process	Priority			
•	WMME 16 bit dri	vers			
	ASIO 24 bit drive	ers			
	Mode		×		
$\checkmark$	Frequency Units				
	Frequency Offset				
	Undersampling				
	Swap I and Q cha	innels			
	Channel Skew Ca	libration		4021 1402	
	Show Status				
$\checkmark$	Full Screen				
	Enable OmniRig	Support	۲	✓ Rig1	
	Reset Default Set	tings		Rig 2	




## **Try Winrad Waterfall Demo**



- Perseus SDR used to make a wideband recording (122 KHz for 10 minutes = 300 MB)
- Demo will play back that recording and others
- To try the demo yourself, follow instructions at
  - http://www.kkn.net/~n6tv



#### Click-To-Tune, IF OUT to LP-PAN 2, NaP3, LP-Bridge







http://www.telepostinc.com

## **Questions?**



- <u>http://www.winrad.org</u> Winrad software
- <u>http://http://www.hdsdr.de/</u> HDSDR software
- <u>http://sdr-radio.com/Software</u> SDRConsole
- <u>http://www.kkn.net/~n6tv</u> Winrad demo file
- http://www.telepostinc.com/LP-PAN.html
- <u>http://www.qrz.com/db/n6tv</u> Links to this and other presentations

